



Certificate of Analysis


Customer Information

Client: Sunstone Organics
Attention: secure@sunstoneorganics.com
Address: 4061 Main St., Suite D
Springfield, OR 97478

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: 161 B3
Lot Number: 161 B3
Description: Finely ground plant material
Condition: Good
Job ID: ISO05556
Sample ID: I15418
Received: 18NOV2025
Completed: 21NOV2025
Issued: 24NOV2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102		Tested: 21NOV2025 0350		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Mitragynine	Report Results	1.43	w/w%	0.0054	N/A	
7-Hydroxymitragynine	Report Results	0.00765	w/w%	0.0014	N/A	
Paynantheine	Report Results	0.272	w/w%	0.0054	N/A	
Speciogynine	Report Results	0.210	w/w%	0.0054	N/A	
Speciociliatine	Report Results	0.363	w/w%	0.0054	N/A	
Total Mitragyna Alkaloids	Report Results	2.28	w/w%	0.0054	N/A	

Elemental Impurities (ICP-MS)		Method Code: T301		Tested: 19NOV2025 1402		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Arsenic	NMT 2.00	0.115	ug/g	0.006	PASS	
Cadmium	NMT 0.50	<LOQ	ug/g	0.002	PASS	
Mercury	NMT 0.20	0.015	ug/g	0.002	PASS	
Lead	NMT 5.00	0.604	ug/g	0.002	PASS	

Microbiological Examination		Method Code: T005		Tested: 18NOV2025 1502		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	1,000	CFU/g	20 CFU/g	PASS	
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS	
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS	
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS	
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS	

Residual Solvents: Class I (GC-MS)		Method Code: T201		Tested: 21NOV2025 0829		
------------------------------------	--	-------------------	--	--------------------------	--	--

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)		Method Code: T201		Tested: 21NOV2025 0829		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Methanol	NMT 3000	<LOQ	ug/g	75	PASS	
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS	
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS	
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	47	PASS	
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	47	PASS	
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS	
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS	
Methylcyclohexane	NMT 1180	<LOQ	ug/g	30	PASS	
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS	
Toluene	NMT 890	<LOQ	ug/g	22	PASS	
Chlorobenzene	NMT 360	<LOQ	ug/g	9.0	PASS	
Ethylbenzene	NMT 2170	<LOQ	ug/g	54	PASS	
o/p-Xylene	NMT 2170	<LOQ	ug/g	54	PASS	
m-Xylene	NMT 2170	<LOQ	ug/g	54	PASS	
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.8	PASS	
Hexane	NMT 290	<LOQ	ug/g	7.3	PASS	
Nitromethane	NMT 50	<LOQ	ug/g	1.3	PASS	
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS	
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS	
Trichloroethene	NMT 80	<LOQ	ug/g	2.0	PASS	
Pyridine	NMT 200	<LOQ	ug/g	5.0	PASS	
2-Hexanone	NMT 50	<LOQ	ug/g	5.0	PASS	
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS	

Residual Solvents: Class III (GC-MS)		Method Code: T201		Tested: 21NOV2025 0829		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Pentane	NMT 5000	<LOQ	ug/g	125	PASS	
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS	
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
Acetone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS	
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS	
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Heptane	NMT 5000	<LOQ	ug/g	125	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Anisole	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS

Pesticides (GC-MS/MS)		Method Code: T401		Tested: 19NOV2025 1633		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Acephate	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Azinphos-methyl	NMT 1	ND	mg/Kg	0.0098	PASS	
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Deltamethrin	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Diazinon	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Dichlorvos	NMT 1	ND	mg/Kg	0.0196	PASS	
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Omethaote	Report Results	ND	mg/Kg	0.0098	N/A	
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.0982	PASS	
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.0491	N/A	
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.0491	N/A	
Ethion	NMT 2	ND	mg/Kg	0.0098	PASS	
Etrimphos	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.0196	PASS	
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.0098	N/A	
Fenitrothion	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.0098	PASS	
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.0393	PASS	
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.0098	N/A	
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.0098	N/A	
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.0098	N/A	
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.0196	PASS	
Fenthion oxon	Report Results	ND	mg/Kg	0.0196	N/A	
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.0196	N/A	
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.0196	N/A	
Fenthion sulfone	Report Results	ND	mg/Kg	0.0196	N/A	

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.0196	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.0098	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.0098	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.0098	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.0196	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.0098	N/A
Mecarbam	NMT 0.05	ND	mg/Kg	0.0098	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.0098	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.0098	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.0098	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.0098	PASS
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.0196	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.0098	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.0196	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.0098	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.0098	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.0098	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.0098	PASS
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.0295	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.0196	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.0098	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.0098	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.0098	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.0491	PASS
Cinerin I	Report Results	ND	mg/Kg	0.0491	N/A
Cinerin II	Report Results	ND	mg/Kg	0.0491	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.0491	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.0491	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.0491	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.0491	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.0098	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.0098	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.0098	PASS
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.0196	PASS
Dieldrin	Report Results	ND	mg/Kg	0.0098	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.0098	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.0098	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.0196	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.0098	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.0098	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.0196	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.0098	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.0098	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.0098	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.0196	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.0098	PASS

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Cypermethrins	NMT 1	ND	mg/Kg	0.0196	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.0098	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.0098	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.0098	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.0098	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.0098	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.0098	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.0098	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.0098	PASS
Endosulfans	NMT 3	ND	mg/Kg	0.0098	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.0098	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.0098	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.0098	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.0098	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.0196	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.0196	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.0196	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.0098	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.0098	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.0098	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0098	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0098	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0098	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.0098	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.0098	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.0098	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.0098	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.0098	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.0098	N/A
trans-Permethrin	Report Results	ND	mg/Kg	0.0098	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.0098	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.0884	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.0196	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.0491	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.0098	PASS
S-421	NMT 0.02	ND	mg/Kg	0.0098	PASS

Additional Report Notes

T401 results performed by a registered outsourcing facility.

Revision History


rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
		Department:	Management
Name:	Tyler West	Date:	24NOV2025