



# Certificate of Analysis


## Customer Information

**Client:** Sunstone Organics  
**Attention:** secure@sunstoneorganics.com  
**Address:** 4061 Main St., Suite D  
 Springfield, OR 97478

## Testing Facility

**Lab:** Cora Science, LLC  
**Address:** 8000 Anderson Square, STE 113  
 Austin, Texas 78757  
**Contact:** info@corascience.com  
 (512) 856-5007

## Sample Image(s)



## Sample Information

**Name:** 161 B4  
**Lot Number:** 161 B4  
**Description:** Finely ground plant material  
**Condition:** Good  
**Job ID:** ISO05557  
**Sample ID:** I15419  
**Received:** 18NOV2025  
**Completed:** 21NOV2025  
**Issued:** 24NOV2025

## Test Results

### Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 21NOV2025 | 0417

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.39	w/w%	0.0055	N/A
7-Hydroxymitragynine	Report Results	0.00765	w/w%	0.0015	N/A
Paynantheine	Report Results	0.266	w/w%	0.0055	N/A
Speciogynine	Report Results	0.204	w/w%	0.0055	N/A
Speciociliatine	Report Results	0.349	w/w%	0.0055	N/A
Total Mitragyna Alkaloids	Report Results	2.22	w/w%	0.0055	N/A

### Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 19NOV2025 | 1407

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.192	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.031	ug/g	0.002	PASS
Mercury	NMT 0.20	0.009	ug/g	0.002	PASS
Lead	NMT 5.00	0.362	ug/g	0.002	PASS

### Microbiological Examination

Method Code: T005

Tested: 18NOV2025 | 1502

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	1,000	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

### Residual Solvents: Class I (GC-MS)

Method Code: T201

Tested: 21NOV2025 | 0923

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)	Method Code: T201	Tested: 21NOV2025   0923			
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	75	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	47	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	47	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	30	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS
Toluene	NMT 890	<LOQ	ug/g	22	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	9.0	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	54	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.8	PASS
Hexane	NMT 290	<LOQ	ug/g	7.3	PASS
Nitromethane	NMT 50	<LOQ	ug/g	1.3	PASS
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	2.0	PASS
Pyridine	NMT 200	<LOQ	ug/g	5.0	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	5.0	PASS
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS

Residual Solvents: Class III (GC-MS)	Method Code: T201	Tested: 21NOV2025   0923			
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Pentane	NMT 5000	<LOQ	ug/g	125	PASS
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
Acetone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Heptane	NMT 5000	<LOQ	ug/g	125	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS
Anisole	NMT 5000	<LOQ	ug/g	125	PASS

Pesticides (GC-MS/MS)	Method Code: T401	Tested: 19NOV2025   1653			
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Acephate	NMT 0.1	ND	mg/Kg	0.0096	PASS
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.0096	PASS
Azinphos-methyl	NMT 1	ND	mg/Kg	0.0096	PASS
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.0096	PASS
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.0096	PASS
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.0096	PASS
Deltamethrin	NMT 0.5	ND	mg/Kg	0.0096	PASS
Diazinon	NMT 0.5	ND	mg/Kg	0.0096	PASS
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.0096	PASS
Dichlorvos	NMT 1	ND	mg/Kg	0.0192	PASS
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.0096	PASS
Omethoate	Report Results	ND	mg/Kg	0.0096	N/A
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.0962	PASS
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.0481	N/A
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.0481	N/A
Ethion	NMT 2	ND	mg/Kg	0.0096	PASS
Etriphos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.0192	PASS
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.0096	N/A
Fenitrothion	NMT 0.5	ND	mg/Kg	0.0096	PASS
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.0096	PASS
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.0385	PASS
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.0096	N/A
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.0096	N/A
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.0096	N/A
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
Fenthion oxon	Report Results	ND	mg/Kg	0.0192	N/A
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.0192	N/A
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.0192	N/A
Fenthion sulfone	Report Results	ND	mg/Kg	0.0192	N/A

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.0192	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.0192	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.0096	N/A
Mecarbam	NMT 0.05	ND	mg/Kg	0.0096	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.0096	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.0096	PASS
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.0192	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.0096	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.0192	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.0096	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.0096	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.0096	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.0096	PASS
Pirimiphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.0289	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.0192	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.0096	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.0096	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.0481	PASS
Cinerin I	Report Results	ND	mg/Kg	0.0481	N/A
Cinerin II	Report Results	ND	mg/Kg	0.0481	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.0481	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.0481	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.0481	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.0481	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.0096	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.0096	PASS
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
Dieldrin	Report Results	ND	mg/Kg	0.0096	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.0096	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.0096	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.0096	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.0096	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.0192	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.0096	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.0096	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.0096	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.0192	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.0096	PASS

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Cypermethrins	NMT 1	ND	mg/Kg	0.0192	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.0096	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.0096	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.0096	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.0096	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.0096	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.0096	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.0096	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.0096	PASS
Endosulfans	NMT 3	ND	mg/Kg	0.0096	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.0096	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.0096	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.0096	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.0192	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.0192	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.0096	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.0096	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.0096	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0096	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0096	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0096	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.0096	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.0096	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.0096	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.0096	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.0096	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.0096	N/A
trans-Permethrin	Report Results	ND	mg/Kg	0.0096	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.0096	PASS
Quintozone (sum of following two)	NMT 1	ND	mg/Kg	0.0866	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.0192	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.0481	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.0096	PASS
S-421	NMT 0.02	ND	mg/Kg	0.0096	PASS

## Additional Report Notes

T401 results performed by a registered outsourcing facility.

## Revision History

rev 00 - Initial release.

## Abbreviations

---

**ID:** identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

---

## Authorization

---

This report has been authorized for release from Cora Science by:

<b>Signature:</b>		<b>Position:</b>	Laboratory Director
<b>Name:</b>	Tyler West	<b>Department:</b>	Management
		<b>Date:</b>	24NOV2025